



# **UM training: Practical sessions**

**NCAS-CMS**

8 November 2016

<b>1</b>	<b>Prerequisites</b>	<b>2</b>
<b>2</b>	<b>Getting set up</b>	<b>3</b>
2.1	Launch MobaXterm . . . . .	3
2.2	Login to PUMA . . . . .	3
2.3	Set up your PUMA environment and access to MOSRS . . . . .	3
2.4	Make sure you can login to your ARCHER training account . . . . .	4
2.5	Set up your ARCHER environment . . . . .	4
2.6	Exit ARCHER . . . . .	4
2.7	Set up an ssh connection from PUMA to ARCHER . . . . .	5
2.8	Check this all works by ssh-ing to ARCHER . . . . .	6
<b>3</b>	<b>Working with Suites</b>	<b>7</b>
3.1	Suite Discovery and Management: <code>rosie go</code> . . . . .	7
3.2	Editing Suites: <code>rose edit</code> . . . . .	8
<b>4</b>	<b>Running a UM suite on ARCHER</b>	<b>11</b>
4.1	ARCHER architecture . . . . .	11
4.2	Running a Standard Suite . . . . .	11
4.3	Standard Suite Output . . . . .	13
<b>5</b>	<b>FCM tutorial</b>	<b>15</b>
5.1	Setting up your default text editor . . . . .	15
5.2	Applying modifications to a UM suite . . . . .	15
5.3	Opening a Ticket . . . . .	16
5.4	Making Code Changes . . . . .	17
5.5	Documenting your change . . . . .	25
5.6	Tidying Up . . . . .	25
5.7	Version Control of Suites . . . . .	26
<b>6</b>	<b>Solving Common UM Problems</b>	<b>27</b>
6.1	Copy and set up N96 GA7.0 AMIP example suite . . . . .	27
6.2	Errors resolved in the code extraction . . . . .	27
6.3	Errors resolved in the compile and run . . . . .	28
<b>7</b>	<b>Further Exercises</b>	<b>30</b>
7.1	Change the model output logging behaviour . . . . .	30
7.2	Change the processor decomposition . . . . .	30
7.3	STASH . . . . .	31
7.4	Change the dump frequency . . . . .	33

7.5	Reconfiguration . . . . .	33
7.6	Setting up a suite to cycle . . . . .	33
7.7	Restarting a suite . . . . .	34
7.8	IO Servers . . . . .	34
7.9	Differencing suites . . . . .	34
7.10	Graphing a suite . . . . .	35
7.11	Exploring the suite definition files . . . . .	35
7.12	Extra exercises . . . . .	36
<b>8</b>	<b>Post processing</b>	<b>38</b>
8.1	xconv . . . . .	38
8.2	uminfo . . . . .	39
8.3	pumf . . . . .	39
8.4	cumf . . . . .	39
8.5	ff2pp . . . . .	39
8.6	cfa and cfdump . . . . .	40
8.7	CF-python CF-plot . . . . .	40
<b>9</b>	<b>Appendix A: Useful information</b>	<b>42</b>
9.1	UM output . . . . .	42
9.2	ARCHER architecture . . . . .	42
9.3	ARCHER file systems . . . . .	42
9.4	ARCHER node reservations . . . . .	43
9.5	Useful Rose commands . . . . .	43
<b>10</b>	<b>Appendix B: SSH FAQs</b>	<b>44</b>
10.1	Using an existing ssh agent . . . . .	44
10.2	Restarting your ssh agent . . . . .	44
10.3	Regenerating your ssh keys . . . . .	45

Practical exercises for the UM training course in Reading, 8-10 November 2016.

NCAS Computational Modelling Services: <http://cms.ncas.ac.uk/>

## PREREQUISITES

You will need to know the basic **Unix** shell commands (such as `ls`, `cd`, `cp`, `mv` and `grep`) and ideally some **Fortran**. You should also be comfortable using a text editor such as `vim`, `emacs` or `nedit`.

Useful links:

- **Unix shell tutorial:** <http://swcarpentry.github.io/shell-novice/>
- **Version control with subversion tutorial:** <http://swcarpentry.github.io/v4/vc/index.html>
- **Fortran 95 course material:** [http://www.archer.ac.uk/training/course-material/2015/02/f95\\_ucl/index.php](http://www.archer.ac.uk/training/course-material/2015/02/f95_ucl/index.php)

## GETTING SET UP

### 2.1 Launch MobaXterm

- Login to the windows machine with your University of Reading credentials
- If there is a MobaXterm icon on the Desktop, double click it, choose to run the application, then move on to the next Section “Login to PUMA”.

Mobaxterm may also be available through the Start menu, under All programs.

If there is no MobaXterm:

- Open the Chrome browser
- google “mobaxterm download”
- Download the Personal Edition
- Choose Save As - and save to the Desktop
- Double click the MobaXterm folder, drag MobaXterm\_Personal\_8.4.exe to the Desktop
- Double click the MobaXterm icon

---

**Note:** Windows sometimes fails to display a MobaXterm icon on the desktop; if this happens, simply double click the application in the Desktop file listing.

---

### 2.2 Login to PUMA

```
xterm$ ssh -Y <puma-username>@puma.nerc.ac.uk
```

### 2.3 Set up your PUMA environment and access to MOSRS

#### i. Configure ~/.profile

If this is the first time you have used your PUMA account, you will need to create a `.profile`. Copy our standard one:

```
puma$ cd
puma$ cp ~um/um-training/setup/.profile .
```

(If you already have a `.profile`, make sure it includes the lines from the standard file.)

## ii. Configuring access to MOSRS

Run the `mosrs-setup` script which will take you through the set up process to access the Met Office Science Repository Service (Remember your MOSRS username is one word; usually firstnamelastname, all in lowercase):

```
puma$ ~um/um-training/mosrs-setup
```

Log out of PUMA and back in again (you will get a warning about not being able to find `~/ssh/ssh-setup` this can be ignored and will be resolved in the next step). You should be prompted for your Met Office Science Repository Service password. A new window should then pop up (it may be hidden behind other windows) for `Rosie` asking for **Username for 'u' - 'https://code.metoffice.gov.uk/rosie/u'** . Enter your MOSRS username again.

---

**Note:** The cached password is configured to expire after 12 hours. Simply run the command `mosrs-cache-password` to re-cache it if this happens. Also if you know you won't need access to the repositories during a login session then just press return when asked for your MOSRS password.

---

## 2.4 Make sure you can login to your ARCHER training account

An ARCHER username will be provided on the day of the course. Ask the CMS team if you're unsure. The password for these accounts is listed in a file on PUMA: `~um/um-training/um_training_nov2016.txt`.

From PUMA:

```
puma$ ssh <archer-username>@login.archer.ac.uk
```

---

**Note:** It's best to copy and paste the password from the file rather than type it by hand.

---

## 2.5 Set up your ARCHER environment

Once you have successfully logged into ARCHER, copy the following `.profile` file to your home directory.

```
archer$ cd
archer$ cp /work/y07/y07/umshared/um-training/.profile .
```

## 2.6 Exit ARCHER

Log out of ARCHER. This should take you back to puma.

```
archer$ exit
```

## 2.7 Set up an ssh connection from PUMA to ARCHER

**Note:** If you already have ssh keys and agent set up on PUMA, follow the instructions on *Using an existing ssh agent* in the Appendix, then skip to Section 2.8.

### i. Generate authentication key on PUMA and install it on ARCHER.

Run the `install-ssh-keys` script. This will take you through ssh-key creation and copy the key over to ARCHER.

```
puma$ source ~um/um-training/install-ssh-keys <archer-username>@login.archer.ac.uk
```

When prompted to **Enter passphrase**, this should be a fairly complicated and unguessable passphrase. You can use spaces in the passphrase if it helps you to remember it more readily. It is recommended that you don't use your password in case it is hacked.

**Warning: DO NOT** use an empty passphrase as this presents a security issue.

After generating your ssh-key, the script will copy it over to ARCHER.

When prompted for **Password**, enter your ARCHER password.

### ii. Verify the authentication works.

```
puma$ ssh <archer-username>@login.archer.ac.uk
Enter passphrase for key '/home/<puma-username>/.ssh/id_dsa':
[TYPE_YOUR_PASSPHRASE]
```

If you don't get asked for your Passphrase (i.e. RSA key), then something has gone wrong. In this case, make sure the public key, was successfully copied over to ARCHER by logging into ARCHER and opening the file `~/.ssh/authorized_keys`. It should contain something similar to:

```
ssh-rsa AAAAB3NzaC1yc2EAAAABIwAAAQEAt1JmHYgsuf0UWVlqNqnDSaUUP2xJ+Um0H5WnUt/i
2mxhlBrwOtvVWRjnzo5Ecy1ZJs/Cg5JVe4UR6toqNXbZG1RXscLQnQoPAvzFoWLzfp7Q3lrzeC1S
km2FWfWC38ga3Svs6fm63/I7WmJy+4D8BWWaXj/9yM1OskFj6yfwItr150rwwNauOQbWJh17I/Kk
fhVPBvZ9vHiAK4cjUMQ9fFS1dij3GSBmOfu2RuMgNNg9y1MLSzEk2242F4tOg7paTk7wwUZ+ZLqR
BtT2aRenjIGI7KvACBZD1y40tXXPIZw9m2D10dK7mFQ2/YFWh2/NAmkFMXzDOmkg0biq1m+QKw==
ros@puma
```

If it doesn't, and no errors were reported from the `install-ssh-keys` script, please ask for assistance.

Once you have this part working, log out of ARCHER.

### iii. Start up ssh-agent.

Run the following command and type your passphrase:

```
puma$ ssh-add
Enter passphrase for /home/<puma-username>/.ssh/id_rsa:
[TYPE_YOUR_PASSPHRASE]
```

The ssh agent should keep running even when you log out of puma, however you may need to restart it from time to time. For instructions on how to do this see *Restarting your ssh agent* in the Appendix.



## 2.8 Check this all works by ssh-ing to ARCHER

From PUMA type:

```
puma$ ssh <archer-username>@login.archer.ac.uk
```

If you get to ARCHER without a password or passphrase, then you're done.

You are now ready to try running a UM suite!

## WORKING WITH SUITES

### 3.1 Suite Discovery and Management: `rosie go`

**Rosie go** is the suite manager GUI. It acts as a hub for all your suite work. From `rosie go` it is possible to search for suites, create, checkout, delete, edit, run suites and more. We will only take a look at the main features here. Full details on all the features of `rosie go` can be found in the user guide - <http://metomi.github.io/rose/doc/rose-rug-rosie-go.html>.

Launch `rosie go` by typing:

```
puma$ rosie go
```

#### i. Searching for suites

By default, `rosie go` will show all the suites that you have checked out locally, so unless you have used Rose before you will have an empty results panel to begin with. You can search for suites by typing a word/phrase into the search box and either click the search button or press `<Enter>`. The search looks for the entered word/phrase in **any** of a suite's properties.

- Enter **u-ag137** in the *Search* box and press `<Enter>`

You should now see a long list of suites. All these suites are listed as they reference `u-ag137` in their suite information.

More advanced queries can be run by clicking the **+** button next to the search button. Queries allow you to filter results based on the values of particular properties. You can combine filters to make complex queries.

- Select **idx** in the property box and **eq** in the operator box and then enter the value **u-ag137**. Click **Query**.

This time you should only see one suite listed in the results pane.

- Now run a query to list all suites **owned by rosalynhatcher containing ARCHER in their title**.

The searches you run within `rosie go` are recorded in your search history.

- View your history by clicking "*History -> Show search history*".

The Search History panel should now be displayed on the left-hand side of `rosie go` listing your past searches. You can order the results by type, parameters or whether you asked to see all revisions by clicking on the relevant column head. To re-run one of these searches simply click on it.

- Try running your initial search for `u-ag137` again.

Close the History Panel by clicking the close button at the top of the history panel.

## ii. Viewing suite information

To obtain more information about a suite listed in the search results you can do one of two things; hold your mouse over the suite to display a tooltip containing more details or right click on the suite and click `Info` in the pop-up menu to display a dialog box containing further details.

- What project is suite `u-ab878` associated with?

Suite search results can be ordered by property in either ascending or descending order. To do so, click on the column title for the property you wish to order by so an arrow is displayed next to it indicating the order in which the property is being sorted.

## iii. Checking out an existing suite

Right-clicking on a suite displays a pop-up menu from which you can perform many functions on the suite; e.g. checkout, copy, delete, run, etc. We will perform many of these actions in subsequent exercises but to begin with we will just checkout an existing suite to use in the “*Editing Suites*” exercises. To view a suite it must be checked out first.

- Right-click on suite **u-ag137** and select *Checkout Suite* from the pop-up menu.

When you checkout a suite it is always placed in your `~/roses` directory. In this state, the suite is simply a working copy - you can edit it and run it but any changes you make will only be held locally.

---

**Note:** You can also checkout a suite by highlighting it and then clicking the *Checkout* button on the toolbar.

---

## iv. Other useful features

To see what suites you have checked out click the `Show local suites` button to the left of the search box (represented by the *home* icon). You should have at least 1 suite listed.

- What do you think the *house* icon in the local column indicates?

## 3.2 Editing Suites: rose edit

The Rose config editor in combination with the meta-data file which describes UM inputs is the GUI for editing UM suites. Building and running the UM under Rose requires, at least, two separate apps: an `fcm_make_app` to build the model executable and a UM app to configure the runtime namelists and environment variables. Coupled models may require additional `fcm_make` apps, one for each executable to be built.

### i. Launch the config editor GUI

Right click on suite `u-ag137` and select `Edit Suite`. The `rose edit` GUI will start up.

On the left hand side is a navigation panel containing a tree listing the apps in the suite. For this particular suite these are:

- `suite conf` - General suite configuration options
- `fcm_make_pp` - Extract and build the post-processing scripts
- `fcm_make_um` - Extract and build the UM source code
- `housekeeping` - Tidies up log files, old work and data directories
- `install_ancil` - Install ancillary files

- *postproc* - Post-processing settings
- *um* - The UM atmosphere and reconfiguration settings

## ii. Explore the GUI

Click on the triangle to the left of *suite conf* to expand that section. Click on *Build and run switches*. A panel will appear on the right-hand side containing options for controlling what tasks will be run for this suite. You can see that it will build the UM and reconfiguration executables, run the reconfiguration and then run the model.

---

**Note:** We generally use a **common notation** to help users navigate through the GUI and to help us help you with questions. Getting to “UM Science Settings” would be indicated like this: *um->namelist->UM Science Settings*. This notation will be used throughout the rest of this document.

---

The input namelists for the um are contained in the *um->namelist* section. Let’s take a look at the science namelist for Microphysics (Large Scale Precipitation), *run\_precip*.

For each UM namelist item there is a short description to help you understand what that variable is. Click on the cog next to a namelist variable and select *Help* to view more detailed information. The help information can give you some useful pointers but be aware that it has been written with Met Office setup in mind.

Range and type checking of variables is done as soon as the user enters a new value. Try changing the value of *timestep\_mp\_in* to 0. This will cause an error flag to appear, hover over the error for more information and click the *undo* button to revert to the original value.

Some larger science sections have been divided into subsections, take a look at “Section 05 - Convection” for an example of this. To open a section in a new tab click with the middle mouse button, expand the section by clicking the page triangles. Rose edit has a search box which can be used to search item names. Try searching for *astart*, you will be taken directly to the Dumping and Meaning panel.

Trigger ignored settings are hidden by default and only appear to the user when the appropriate options are selected. Open the Gravity Wave Drag panel, if you change *i\_gwd\_vn* from 5 to 4 the options available change. Click the save button to apply these changes to your app. Let’s take a look at what effect this has had to the *rose-app.conf* file, run `fcmdiff` in the suite directory.

```
puma$ cd ~/roses/u-ag137
puma$ fcmdiff -g
```

You should see that several namelist items have had *!!* added to the start of the line. This tells Rose to ignore these items when processing the app file into Fortran namelists. Should you wish to see all variables on a panel select “View All Ignored Variables” and “View Latent Variables” from the “View” menu.

Switch back to the Rose edit window and click the **undo** button to revert the changes and then **save** the suite again. To view all changes made to the suite in the current session click on the **Undo/Redo Viewer** in the *Edit* menu.

## iii. Error checking of UM inputs

In addition to the type and range checking of namelist items and environment variables, more thorough checks can be made using Rose macros and the fail-if/warn-if metadata.

First let’s check if the suite contains any options which trigger the fail-if and warn-if checks in the UM metadata. Select “Check fail-if, warn-if” from the “Metadata” menu. As this suite is setup correctly “FailureRuleChecker: No problems found” should appear at the bottom right of the window.

Now let's try and introduce both a warning and a failure. We're going to change the boundary layer option "alpha\_cd". Either navigate to "*Section 03 - Boundary Layer -> Implicit solver options*" or type "alpha\_cd" into the search bar. Click on the plus sign to add an array element to alpha\_cd and type 1.5 into the new box. Next navigate to "*Reconfiguration and Ancillary Control -> Output dump grid sizes and levels*" and increase the number of ozone levels to 86. Now run the fail-if, warn-if checker again.

- What is the error?
- What is the warning?

Use the undo button to put the settings back to how we found them and run the checker again. It is strongly recommended that whenever namelists and environment variables are modified that the fail-if, warn-if checker is applied before running the suite.

## RUNNING A UM SUITE ON ARCHER

### 4.1 ARCHER architecture

In common with many HPC systems, ARCHER consists of different types of processor nodes:

- **Login nodes:** This is where you land when you ssh into ARCHER. Typically these processors are used for file management tasks.
- **Compute / batch nodes:** These make up most of the ARCHER system, and this is where the model runs.
- **Serial / post-processing nodes:** This is where less intensive tasks such as compilation and archiving take place.
- **Service nodes:** These are used to launch the batch jobs amongst other things.

ARCHER has three file systems:

- **/home:** This is relatively small and is backed up.
- **/work:** This is much larger, but is not backed up. Note that the batch nodes can only see the work file system. It is optimised for parallel I/O and large files.
- **/nerc:** This is the Research Data Facility (RDF) used to archive data. It is backed up.

Consult the ARCHER website for more information: <http://www.archer.ac.uk>

### 4.2 Running a Standard Suite

To demonstrate how to run the UM through Rose we will start by running a standard N48 suite at UM10.5.

#### i. Copy the suite

- In `rosie` go locate the suite with idx **u-ag263** owned by **annetteosprey**.
- Right click on the suite and select `Copy Suite`.

This will launch a wizard for you to edit the suite discovery information.

A new suite will be created in the MOSRS `rosie-u` suite repository and will be checked out into your `~/roses` directory.

#### ii. Edit the suite

- Open your new suite in the Rose config editor GUI.

Before you can run the suite you need to change the *userid*, *queue* and *account code*.

Now make the following changes:

- Click on *suite conf* -> *jinja2* in the left hand panel
- Change HPC\_USER (that's your ARCHER training account)
- Change HPC\_ACCOUNT to '**n02-training**'
- Change HPC\_QUEUE to '**course1**'
- Save the suite (*File* -> *Save* or click the *down arrow* icon)

---

**Note:** Quotes around the 'n02-training', 'course1' and your ARCHER username are essential otherwise the suite won't run.

---

### iii. Run the suite

The standard suite will build, reconfigure and run the UM.

- Click on the triangle symbol on the right end of the menu bar to run the suite.

Doing this will execute the `rose suite-run` command (more on this later) and start the Cylc GUI (`gcylc`) through which you can monitor the progress of your suite graphically. The `cylc` GUI will update as the job progresses.

### iv. Looking at the queues on ARCHER

While you're waiting for the suite to run, let's log into ARCHER and learn how to look at the ARCHER queues.

Run the following command:

```
qstat -u <archer-user-name>
```

This will show the status of jobs you are running. You will see output similar to the following:

```
ncastr01@eslogin005:~> qstat -u ncastr01

sdb:

Job ID           Username Queue      Jobname      SessID NDS TSK  Req'd  Req'd  Elap
-----
3988630.sdb     ncastr01 S3979005  atmos.1.u-  --     1  24    --    00:20 R 00:10
```

At this stage you will probably only have a job running or waiting to run in the serial queue. Running `qstat` will show all jobs currently on ARCHER, most of which will be in the parallel queues.

Another useful command is `serialJobs`, which lists the jobs in the serial queue only. You will need to run `module load anaconda` before running the `serialJobs` command. Try it now:

```
ncastr01@eslogin005:~> module load anaconda
ncastr01@eslogin005:~> serialJobs
```

Once your suite has finished running the Cylc GUI will go blank and you should get a message in the bottom left hand corner saying '*Stopped with succeeded*'.

Cylc is set up so that it *polls* ARCHER to check the status of the task, every 5 minutes. This means that there could be a maximum of 5 minutes delay between the task finishing on ARCHER and the Cylc

GUI being updated. If you see that the task has finished running but Cylc hasn't updated then you can manually poll the task by right-clicking on it and selecting **Poll** from the pop-up menu.

### 4.3 Standard Suite Output

The output from a standard suite goes to a variety of places, depending on the type of the file. On ARCHER you will find all the output from your run under the directory `~/cylc-run/<suitename>`, where `<suitename>` is the name of the suite. This is actually a symbolic link to the equivalent location in your `/work` directory (E.g. `/work/n02/n02/<username>/cylc-run/<suitename>`).

#### Rose bush

The standard output and errors from the suite can be easily viewed using Rose Bush.

For suites submitted from PUMA; in a browser navigate to <http://puma.nerc.ac.uk/rose-bush>.

Enter your userid and click "*Suites List*". You should then see a list of all the suites you have run. Click on "*Jobs List*" for the suite you have just run. You can examine the output of each task using the links, as well as see whether the suite contains failed tasks, or is currently running. For this suite you should see output files for 4 tasks: `fcm_make` (code extraction), `fcm_make2` (compilation), `recon & atmos`. The `job.out` and `job.err` files are the first places you should look for information when tasks fail.

---

**Note:** To launch Rose Bush on MONSooN run the command `firefox http://localhost/rose-bush`

---

#### Compilation output

The output from the compilation is stored on the host upon which the compilation was performed. The output from `fcm_make` is inside the directory containing the build, which is inside the `share` subdirectory.

```
~/cylc-run/<suitename>/share/fcm_make/fcm-make2.log
```

If you come across the word "failed", chances are your model didn't build correctly and this file is where you'd search for reasons why.

#### Standard output

The output from the UM scripts and the output from PE0 is placed in the `log` subdirectory. As we saw in Rose Bush `stdout` and `stderr` are written to 2 separate files. For a task named `atmos`, the output from the most recent run will be:

```
~/cylc-run/<suitename>/log/job/1/atmos/NN/job.out
```

And the corresponding error file is:

```
~/cylc-run/<suitename>/log/job/1/atmos/NN/job.err
```

Here `NN` is a symbolic link created by Rose pointing to the output of the most recently run `atmos` task.

Take a look at the `job.out` for the `atmos` task either on the command-line or through Rose Bush.

- How much walltime did the run consume? Hint: go to the bottom of the file and find walltime.
- Why does the phrase walltime appear twice?
- How much time did you request for the task?



- How many AUs (Accounting Units) did the job cost? Hint: 1 core hour currently = 15 AUs (You should have some idea of the resource requirements for your runs and how that relates to the annual AU budget for your project). See the ARCHER website for information about the AU.
- Did the linear solve for the Helmholtz problem converge in the final timestep?
- How many prognostic fields were read from the start file?

### **Binary output - work and share**

By default the UM will write all output to the directory it was launched from, which will be the task's `work` directory. However, all output paths can be configured in the GUI and in practice most UM tasks will send output to one or both of the suite's `work` or `share` directories.

```
~/cylc-run/<suitename>/work/1/atmos
```

or

```
~/cylc-run/<suitename>/share/data
```

For this suite output is sent to the `work` directory.

Change directory to the work space.

- What files and directories are present?

Model diagnostic output files will appear here, along with a directory called `pe_output`. This contains one file for each processor, for both model and reconfiguration, which contain logging information on how the model behaved.

Open one of these files `<suite-id>.fort6.peXX` in your favourite editor.

The amount of output created by the suite and written to this file can be controlled in the suite configuration (`um -> env -> Runtime Controls -> Atmosphere only`). For development work, and to gain familiarity with the system, make sure "Extra diagnostic messages" are output. Switch it on in this suite if it isn't already.

It is well worth taking a little time to look through this file and to recognise some of the key phrases output by the model. You will soon learn what to search for to tell you if the model ran successfully or not. Unfortunately, important information can be dotted about in the file, so just examining the first or last few lines may not be sufficient to find out why the model hasn't behaved as you expected. Try to find answers to the following:

- How many boundary layer levels did you run with?
- What was the range of grid points handled by this processor?

Check the file sizes of the different file types. The output directory will contain start dumps, diagnostic output files and possibly a core dump file (if the model failed) and these usually have very different sizes.

## FCM TUTORIAL

In this section you will learn about:

- Incorporating modifications to your suite
- Creating a ticket to document your code change
- Creating a branch using the FCM GUI and command line
- How to checkout and change a working copy
- Getting information about your working copy and branch
- Committing changes to your branch
- Resolving conflicts between branches
- Version control of suites

### 5.1 Setting up your default text editor

When you attempt to create a branch or commit changes to the repository, you will normally be prompted to edit your commit log message using a text editor. The system chooses its editor by searching for a non-empty string through a hierarchy of environment variables in this order: `SVN_EDITOR`, `VISUAL`, and `EDITOR`. Note that the editor you select must be able to run in the foreground. For example, you can add one of the following in your `$HOME/.profile`, `$HOME/.kshrc` (Korn) or `$HOME/.bashrc` (Bash):

```
# Emacs
export SVN_EDITOR=emacs

# NEdit
export SVN_EDITOR='nedit'

# vi
export SVN_EDITOR='xterm -e vi'
```

### 5.2 Applying modifications to a UM suite

Now that you've run a basic suite, you need to know how to apply changes to the trunk code. We'll start by applying existing changes (aka a branch) to your suite. A branch equates to a copy of the UM source code tree with user modifications. A branch can contain changes to many code files.

As a user, you will be supplied with the **URL** and possibly a version number of a branch. FCM keywords can be used to specify the URL which is a way of using shorthand for standard bits of the URL path. For example, this branch has been created in the MOSRS UM repository:

```
https://code.metoffice.gov.uk/um/main/branches/dev/rosalynhatcher/vn10.5_um_shell1
```

A shorter way to specify this is:

```
fcm:um.x-br/dev/rosalynhatcher/vn10.5_um_shell1
```

This branch contains a code change to `um_shell` to print:

```
Tutorial Change:  Start of UM RUN Job: instead of Start of UM RUN job:
```

To add this branch go to the panel `fcm_make -> env -> sources` and in the **um\_sources** box add the URL:

```
branches/dev/rosalynhatcher/vn10.5_um_shell1
```

Now **Save** your suite and then submit it either by running `rose suite-run` or clicking the “Play” button in the rose edit GUI.

When the suite has completed, check the `job.out` file to verify that you have got the changed output message:

```
Tutorial Change:  Start of UM RUN Job: instead of Start of UM RUN job:
```

## 5.3 Opening a Ticket

All code changes destined for the UM trunk must have an associated Trac Ticket documenting the change (e.g. <https://code.metoffice.gov.uk/trac/um/ticket/1957>). For all other changes creating a ticket to document your change is entirely optional.

---

**Note:** For full details on the UM working practices including the review and commit to trunk process please see [https://code.metoffice.gov.uk/trac/um/wiki/working\\_practices](https://code.metoffice.gov.uk/trac/um/wiki/working_practices). If you are planning to make a code change intended for the trunk please make sure you read this before starting the change.

---

We will now create a ticket for our code change. Navigate to the UM Trac page on MOSRS: <https://code.metoffice.gov.uk/trac/um> (You will be prompted to login to MOSRS if you haven’t already done so). Click on **New Ticket**. A form entitled **Create New Ticket** should appear. For the purposes of this tutorial fill in the following:

- **Summary:** “Code change for UM Tutorial”
- **Description:** provide as much detail as possible so that all reading the ticket are able to understand the planned change. You can use WikiFormatting to enhance the readability of your text.
- **Type:** select “task”
- **Milestone:** select “Not for Builds”; this indicates the ticket is not intended for the UM trunk. If your change is intended for the trunk this should be set to the UM release the change is being targeted at: e.g. “UM10.6 code release”
- **Severity:** leave this as “minor”
- **Component:** select “General”

- **cc:** leave this empty
- **Owner:** assign the ticket to yourself by selecting your username from the drop down list.

A preview of your ticket should appear at the bottom of the page. If it doesn't appear automatically, use the **Preview** button to inspect your ticket before using the **Create ticket** button to create the ticket.

Remember the number of your new ticket as you will need it later in this tutorial.

## 5.4 Making Code Changes

The default text editor for entering commit messages is `vi`. If you would prefer to use a different editor; for example `emacs` or `vim`, please see the section on “Setting up your default text editor”.

### i. Creating a branch

Firstly create a new directory (e.g. `um/branches`) in your `$HOME` directory on PUMA which will be your work area and `cd` to it.

#### Using the FCM GUI to create a branch:

A basic FCM GUI was originally created as an interface to the command line functionality of FCM. However, most people find that for the majority of tasks in FCM it is actually simpler and quicker to use the command line so that is what we will generally use in this tutorial!

However, for branch creation we will show the GUI too.

Launch the GUI from the command line by typing:

```
puma$ fcm gui
```


Once you have the FCM GUI open, click on **Branch** on the top menu bar of the GUI.

By default, the **create** radio button should be checked, but if it isn't then check this option. Set up your branch details as follows:

- Enter **fcm:um.x-tr@vn10.5** for the URL of the repository.
- Enter a short branch name. This must contain only alpha-numeric characters and/or underscores; e.g. `tutorial`
- Leave branch type as the default **dev**. This will ensure the branch you create is a user development branch.
- Leave the source type as **trunk** and leave the prefix option as **normal**.
- Enter the related Trac ticket number for the ticket you created earlier.

Click on **Run** when you are ready. You will be prompted to edit the message log file. A standard template is automatically supplied and pops up in your default text editor. However, if you want to add extra comment for the branch, please do so above the line that says “*–This line will be ignored and those below will be inserted automatically–*”. When you are ready, save your change and exit the editor. Answer **Ok** when you are prompted to go ahead and create the branch.

In the output window at the bottom of the GUI, you should hopefully see that your branch has been created successfully.



The branch will have a URL (location of repository) like this:

`https://code.metoffice.gov.uk/um/main/branches/dev/[userid]/vn10.5_[branch_name]`

Selecting the prefix option **normal** prepends the revision of the trunk you have branched from to your branch name. Here, as we have used version labelling it is **vn10.5**. If you had entered a version number instead of a label FCM would have added rxxx where xxx is the revision number.

Take a note of the revision number the branch was created at, and the branch name, `vn10.5_[branch_name]`.

You can see your branch from within the MOSRS Trac (<https://code.metoffice.gov.uk/trac/um>): Click on **Browse Source** on the Trac menu bar and then navigate through:

**main→branches→dev→[userid]**

Your branch will also appear on the UM repository mirror held on PUMA (within 5 minutes): <https://puma.nerc.ac.uk/trac/um.xm>

### Command line syntax for creating a branch

As mentioned previously it is also possible to create a branch on the command line:

```
fcm branch-create -k <xx> <branch-name> fcm:um.x@vnx.y
```

Where `-k <xx>` is used to associate ticket number `xx` with the branch and `vnx.y` is the UM version at which this branch should be created (e.g. `vn10.5`)

## ii. Making changes to a working copy

### Checking out a working copy

You may have noticed that creating a branch does not create a source code tree that you can edit (working copy)! To do this you need to *Checkout* from your branch. Make sure you have changed to the working directory you created earlier as by default code is checked out to the current directory. To checkout a copy of the UM code type:

```
fcm checkout URL
```

Where URL is the url of your branch. This can be supplied in it's full form:

```
https://code.metoffice.gov.uk/um/main/branches/dev/[userid]/vn10.5_[branch_name]
```

or by a shorter way:

```
fcm:um.x-br/dev/[userid]/vn10.5_[branch_name]
```

**Note:**

- In the second form we have replaced the leading part of the Subversion URL `https://code.metoffice.gov.uk/um/main/branches` with the FCM repository keyword `fcm:um.x-br`. Keywords are shortcuts to save you from having to type in the full URL.
- As we have not specified a local directory PATH in the checkout command, it will create a working copy in your current working directory, using the basename of the URL you are checking out. For example, when you checkout the branch you have just created, the command should create the working copy in `$PWD/vn10.5_[branch_name]`. Make a note of the location of your working copy, in case you forget where you have put it.
- We are also not specifying a revision to checkout, so it will checkout the HEAD, i.e. the latest revision.

**Changing code**

Back in the work area directory you created at the beginning of branch creation you should now see that a new directory has appeared and that it is named the same as your branch. This is your *working copy*. `cd` into this directory and explore the code structure to familiarise yourself with how the code is structured.

Now make some code changes! Use the following scenario to take you through the basic method of changing, adding and deleting files:

- Change to the `src/control/top_level/` sub-directory in your working copy.
- Edit `um_shell.F90`, using your favourite editor
- Go to the line that says **CALL umPrint('I am PE '//TRIM(str(mype))//** on **'//TRIM(env\_myhost),**
- Change: 'I am PE' to 'Hello World PE'
- Go to the line that says **of UM RUN Job :**
- Change: 'of UM RUN Job :' to 'of UM Tutorial RUN Job:'
- Save your changes and exit the editor

**Adding a new file**

- Still in the `src/control/top_level` directory, add a new file with a subroutine in, called `um_shell_sub.F90`. Put some simple write statements in the subroutine: e.g. `WRITE(6, *) 'I am in subroutine um_shell_sub'`

- Run **fcmm add** on the command line, to let the repository know you're adding a new file at the next commit. Make sure you are still in `src/control/top_level` and then type:

```
fcmm add um_shell_sub.F90
```

at the command prompt.

- Amend `um_shell.F90` to call this new subroutine
- Ensure you put a comment line ! **DEPENDS ON: um\_shell\_sub** above the `CALL` statement to ensure the dependency on your new file is registered.

### Deleting a file

- In the `fcmm-make/ncas-xc30-ifort` directory, you should see a file `um-createbc-safe.cfg`
- Run **fcmm delete** on the command line, to let the repository know you want to remove this file from your branch: Make sure you are in `fcmm-make/ncas-xc30-ifort` and then type:

```
fcmm delete um-createbc-safe.cfg
```

### Getting information about changes to a working copy

All the changes you have made so far have not been committed - i.e. saved to your branch in the repository. It is possible to list these changes using the `fcmm status` command. Firstly, make sure you `cd` back up to the top level of your working directory and then type:

```
fcmm status
```

and you should see a list of files that have been changed. If you've followed the example scenario above you should see output similar to this:

```
ros@puma$ fcmm status
D      fcmm-make/ncas-xc30-ifort/um-createbc-safe.cfg
M      src/control/top_level/um_shell.F90
A      src/control/top_level/um_shell_sub.F90
```

Notice that each changed file is flagged with a letter that indicates what the change was: **A** for Added, **D** for Deleted and **M** for Modified.

### Reverting an uncommitted change

At this point you can undo any changes before committing. Try the following so that you know how to restore a changed file:

- Edit `src/control/top_level/initial.F90` to make any change and then save it.
- Run `fcmm status` again to confirm it has been flagged as Modified.
- Run `fcmm revert` on the command line: Make sure you are still in `src/control/top_level` and then type `fcmm revert initial.F90`
- Re-run `fcmm status` to see that the file is no longer modified.

Note that **revert** will undo ALL changes to a file relative to your branch. Therefore if you've made several uncommitted changes, **revert** will undo them all, not just the last one.

### iii. Committing changes

The change in your working copy remains local until you commit it to the repository where it becomes permanent. If you are planning to make a large number of changes, you are encouraged to commit

regularly to your branch at appropriate intervals. Make sure you are in the top level directory of the working copy and then type:

```
puma$ fcm commit
```

A text editor will appear to allow you to edit the commit message. You must add a commit message to describe your change above the line that says “**–This line, and those below, will be ignored–**“. Your commit will fail if you do not enter a commit message. Make sure you provide meaningful commit messages (if your change is intended for inclusion in the trunk you should reference your ticket number) as these will show up in the revision logs and can be a useful source of information.

**DO:**

- Put a link to the ticket that raises the issues you are addressing using a wiki syntax; e.g. #15. Putting this as the first item in the commit message means it will show very clearly under Trac what ticket the change relates to.
- State the reason for the change
- List possible impacts to other users
- Use wiki syntax that can be displayed nicely in plain text
- State the code author’s name

**DON’T:**

- Repeat what’s already stated in the merge template; e.g. statements such as ‘*merge my branch to the trunk*’ should be avoided
- List the files you have changed. This will already have been included in the commit log by FCM
- Use wiki syntax that cannot be displayed nicely in plain text
- Be vague. A commit message that just says “*Fix*” is insufficient!

**Save** your change and exit the editor. Answer **y** when you are prompted to confirm the commit.

If you’ve followed the example scenario above you should see output similar to this:

```
ros@puma$ fcm commit
[info] emacs: starting commit message editor...
Change summary:
-----
[Root   : https://code.metoffice.gov.uk/svn/um]
[Project: main]
[Branch : branches/dev/rosalynhatcher/vn10.5_example_branch]
[Sub-dir: ]

D      fcm-make/ncas-xc30-ifort/um-createbc-safe.cfg
M      src/control/top_level/um_shell.F90
A      src/control/top_level/um_shell_sub.F90
-----
Commit message is as follows:
-----
#2412 - Testing Code Changes section of the tutorial
-----
Would you like to commit this change?
Enter "y" or "n" (or just press <return> for "n"): y
Deleting      fcm-make/ncas-xc30-ifort/um-createbc-safe.cfg
Sending       src/control/top_level/um_shell.F90
```



```
Adding          src/control/top_level/um_shell_sub.F90
Transmitting file data ..
Committed revision 29416.
Updating '.':
At revision 29416.
```

#### iv. Getting information about your branch

If you need to find out information about your (or other users') branches, you can use the **fc**m **branch info** command.

In the directory where you checked out the code, type:

```
puma$ fcm branch-info
```

You should see information about your branch revision, when it was last changed and the parent it was created from:

```
ros@puma$ fcm branch-info
URL: https://code.metoffice.gov.uk/svn/um/main/branches/dev/rosalynhatcher/
vn10.5_example_branch
Repository Root: https://code.metoffice.gov.uk/svn/um
Revision: 29416
Last Changed Author: rosalynhatcher
Last Changed Rev: 29416
Last Changed Date: 2016-10-21T10:30:48.533152Z
-----
Branch Create Author: rosalynhatcher
Branch Create Rev: 29406
Branch Create Date: 2016-10-21 10:26:42 +0100 (Fri, 21 Oct 2016)
-----
Branch Parent: https://code.metoffice.gov.uk/svn/um/main/trunk@24655
Merges Avail From Parent: 29409 29400 ..... 25507 25445 25365 25212 25077 24778
Merges Avail Into Parent: 29416
```

#### v. Testing that your branch works

Now that you have made a branch you can use it in the suite you were running earlier. Go back to the section where you added an existing branch to your suite and add your new branch as well.

**Save** and then **Run** your suite.

If you have followed the tutorial scenario so far you should find that your suite fails during the **fc**m **extract** of code. In the `job.err` file for the `fc`m `make_``um` task you will see an error message like this:

```
[FAIL] um/src/control/top_level/um_shell.F90: merge results in conflict
[FAIL]      merge output: /home/ros/cylc-run/u-ag954/share/fcm_make/.fcm-make/
extract/merge/um/src/control/top_level/um_shell.F90.diff
[FAIL]      source from location  0: svn://puma/um.xm_svn/main/trunk/src/control/
top_level/um_shell.F90@24655
[FAIL]      source from location  1: svn://puma/um.xm_svn/main/branches/dev/
rosalynhatcher/vn10.5_um_shell1/src/control/top_level/um_shell.F90@29416
[FAIL] !!! source from location  2: svn://puma/um.xm_svn/main/branches/dev/
rosalynhatcher/vn10.5_example_branch/src/control/top_level/um_shell.F90@29416
```

This is because the sample branch and your branch contain modifications to the same file (`um_shell.F90`) and so conflict. The default behaviour of FCM is to fail and force you to resolve the conflict. The next section explains options for doing this.

## vi. Resolving conflicts

In real UM scenarios, there will be working practices for how conflicts are resolved. It is likely that package branches will be used to merge several developer branches together.

For the purposes of this tutorial we will resolve the conflict by incorporating the change from the other branch in to yours:

- In the working copy directory, type:

```
fcm merge fcm:um.x-br/dev/rosalynhatcher/vn10.5_um_shell1
```

- You will be prompted to confirm the merge. Answer **y** to this.
- The conflict with `um_shell.F90` will be indicated. Please then run `fcm status` to see that the file `um_shell.F90` is flagged with the letter **C**, identifying it as a Conflict:

```
ros@puma$ fcm status
M      .
C      src/control/top_level/um_shell.F90
?      src/control/top_level/um_shell.F90.merge-left.r24655
?      src/control/top_level/um_shell.F90.merge-right.r29333
?      src/control/top_level/um_shell.F90.working
Summary of conflicts:
  Text conflicts: 1
```

In order to make the working copy/branch useable, the conflicts must be resolved. To run conflict resolution type:

```
puma$ fcm conflicts
```

FCM will now run the file editor/difference tool `xxdiff` and will show a 3 way display:

The file in the middle is the common ancestor from the merge (i.e. the version of code before either of the changes have been applied). The file on the left contains the changes from your branch and the file on the right is the file containing the changes which you are merging in.

`xxdiff` is configured to automatically select regions that would end up being selected by an automatic merge (i.e. the changes do not overlap). Any difference “hunks” which cannot be resolved automatically are left “unselected”. The number of unresolved changes is shown in the top right hand corner of the `xxdiff` display, under the Help menu. In this case it should show 1.

To inspect the differences either scroll through the files using the scrollbars or use keyboard shortcuts **n** to go to the next difference, and **p** to go to the previous one.

If you have followed the tutorial scenario so far you should see that the changes to the header, “My PE” write statement and the addition of call to the new subroutine `um_shell_sub` have been selected automatically by `xxdiff` because they do not overlap. However, the changes to the other write statement haven’t because they do overlap (they should be highlighted in a different colour to the changes that don’t overlap)

To resolve this conflict, select your write statement “Start of UM Tutorial Job” change by clicking on the text in the file on the left to select it. You should see that the number of unresolved changes now drops to 0 and the selected text changes colour.

Now select **Exit with MERGED** from the `xxdiff` File menu. You will be prompted to run **svn resolved** so answer **y** to this.

It is important to remember that the merge command only applies changes to your working copy. Therefore, you must commit the change to your branch in order for it to become permanent in the repository.

Before you do that though, it is a good idea to inspect the changes prior to committing.

You have already seen how to use `fcml status` to see which files have changed in a working copy. To see more details, you need to use `fcml diff`. In your working copy directory type:

```
puma$ fcml diff -g
```

You will get a 2 way diff between your working copy and your branch. Scroll down to check that the changes you require as a result of the previous merge are correct.

If you are happy, exit the diff and type **fcml commit**. You will be prompted to edit the commit log as before. However, you may notice that a standard template is already provided for you. In most cases, the standard message should be sufficient. However, if you want to add extra comment to the commit, please do so above the line that says “*–This line will be ignored and those below will be inserted automatically–*”. This is useful, for example, if there were significant issues addressed in the merge. Answer **y** to confirm the commit.

Return to your suite and go to the `fcml_make -> env -> sources` panel. Remove the ‘um\_shell1’ branch.

Now you have merged in the changes from this branch to your branch and resolved conflicts the ‘um\_shell1’ branch is redundant. **Save** the suite. Before you can re-run the suite you will need to shutdown the previous failed run. In the Cylc GUI click on *Control -> Stop Suite*, select **Stop now** and then click on **Ok**. Now **Run** your suite to verify that all the changes have been applied.

This section of the tutorial has given a very simple example of a conflict resolution. In practice it can be much less straightforward! A separate tutorial section dedicated to conflict resolution using likely examples from the UM has been created which you can reference/work through should you encounter more complex conflicts in your development work.

### Viewing your changes in Trac

Making a change to your branch results in a **changeset** which is basically a record of the changes. One way of viewing the changeset you have just created is to click on **Timeline** in Trac. The Timeline view is a sequential record of all events in the repository. You should see changesets for your original commit to your branch and the subsequent commit after resolving the conflicts near the top. The changesets are numbered corresponding to the revision of your branch which would have been displayed in the GUI when you did a commit or branch info. To see all the details click on the line ‘*Changeset[xxx]...*’ relating to your changeset. Alternatively, if you enter the number of the changeset “[xxx]” into the search box at the top right, it will take you directly to the numbered changeset. Your changeset should look something like this:

**Changeset 29416**

**Timestamp:** 21/10/16 10:30:48 (less than one hour ago)  
**Author:** rosalynhatcher

**Message:** #2412 - Testing Code Changes section of the tutorial

**Location:** main/branches/dev/rosalynhatcher/vn10.5\_example\_branch/src

**Files:** 1 added, 1 deleted, 1 edited

- atmosphere/dynamics\_solver/gcr\_k-gcrk2b.F90
- control/top\_level/um\_shell.F90 (3 diffs)
- control/top\_level/um\_shell\_sub.F90

View differences: inline

Show 2 lines around each change  
 Show the changes in full context

Ignore:

- Blank lines
- Case changes
- White space changes

Update

main/branches/dev/rosalynhatcher/vn10.5\_example\_branch/src/control/top\_level/um\_shell.F90

Line	Old	New
355	CALL umPrint('I am PE '//TRIM(str(mytype)),src='um_shell')	CALL umPrint('I am PE '//TRIM(str(mytype)),src='um_shell')
356	ELSE	ELSE
357	CALL umPrint('I am PE '//TRIM(str(mytype))//' on '//TRIM(env_myhost), &	CALL umPrint('Hello World PE '//TRIM(str(mytype))//' on '//TRIM(env_myhost), &
358	CALL umPrint('Hello World PE '//TRIM(str(mytype))//' on '//TRIM(env_myhost), &	CALL umPrint('Hello World PE '//TRIM(str(mytype))//' on '//TRIM(env_myhost), &
359	src='um_shell')	src='um_shell')
...	...	...
757	WRITE(umMessage,'(23A)')	WRITE(umMessage,'(23A)')
758	*****',stampname,' of UM RUN Job : ', &	*****',stampname,' of UM RUN Job : ', &
759	*****',stampname,' of UM Tutorial RUN Job : ', &	*****',stampname,' of UM Tutorial RUN Job : ', &
760	ch_time2(1:2),':',ch_time2(3:4),':',ch_time2(5:6), &	ch_time2(1:2),':',ch_time2(3:4),':',ch_time2(5:6), &
761	' on ', &	' on ', &
...	...	...
771	CALL umPrint('',src='um_shell')	CALL umPrint('',src='um_shell')
772	END IF	END IF
773	WRITE (6,*) 'Calling um_shell_sub!'	WRITE (6,*) 'Calling um_shell_sub!'
774	CALL um_shell_sub()	CALL um_shell_sub()
775		
776	END SUBROUTINE um_Shell_banner	END SUBROUTINE um_Shell_banner

## 5.5 Documenting your change

Go back to the Trac ticket you created for your code change and add some documentation as follows:

- A description of what code has changed
- Test results (i.e. Did your suite run? Were there any clashes to resolve?)
- Any other information you want to add
- As we have finished the change for this tutorial example we will resolve the ticket as **fixed** by clicking **Modify Ticket** and selecting “*resolve & assign to <username> as fixed*”.

**Preview** and **Submit** your ticket to save the changes.

## 5.6 Tidying Up

If your development is destined for the UM trunk, then once you have finished your code changes and it has been tested and reviewed, your branch will be committed to the project shared package branch

by the project owner. Once this has been done and there are no problems, your branch is essentially redundant. If no other users are using this branch in their suites it can be deleted.

For the purposes of this tutorial, you can now proceed to delete your branch. When you delete a branch, it becomes invisible from the HEAD revision, but will continue to exist in the repository should you want to refer to it in the future.

### List branches owned by you

If you forget what your branch is called and/or what other branches you have created, you can get a listing of all the branches you have created in a project. To do this use the following command:

```
fcm branch-list URL
```

Where URL is the name of repository you want to search. In this case it would be `fcm:um.x`

### Delete a branch

Make sure you are in the relevant working copy directory and type:

```
fcm branch-delete
```

You will be prompted to edit the commit message file. A standard template is automatically supplied for the commit. However, if you want to add extra comment for the branch, please do so above the line that says “*–This line will be ignored and those below will be inserted automatically–*”. Save your changes and exit the editor.

Answer `y` when you are prompted to go ahead and delete this branch.

Your working copy is now pointing to a branch that no longer exists at the HEAD revision of the repository. It is possible to keep this working copy, create a new branch and switch your working copy to point to the new branch. Otherwise, you can remove your working copy by issuing a careful `rm -rf` command.

## 5.7 Version Control of Suites

Just like code changes your UM suites are also under version control in a subversion repository, usually *rosie-u* which is on the MOSRS. Once you have a working copy of your suite under `~/roses` you can use FCM commands in the same way as for your source code branches; commit changes, diff changes, etc.

- Look in the *rosie-u* repository via MOSRS Trac (<https://code.metoffice.gov.uk/trac/roses-u>) and find the suite you created in the previous section. (Hint: Go to “*Browse Source*” then drill down to find you suite. e.g. `u-ag263` would be under `a/g/2/6/3`)
- Go to your suite working directory and type **fcm status** to see the changes you have made since you copied the suite.
- Run **fcm commit** to commit your changes to the repository.
- Look again in the MOSRS *rosie-u* Trac and see that your commit has now appeared in the repository.

## SOLVING COMMON UM PROBLEMS

This section exposes you to more typical UM errors and hints at how to find and fix those errors.

You may encounter other errors, often as a result of mistyping, for which solution hints are not provided.

### 6.1 Copy and set up N96 GA7.0 AMIP example suite

Find and make a copy of suite **u-ag761**.

Firstly make the changes required to run the suite. That is the account code ('n02-training'), queue to run in ('course1') and your ARCHER user name. Hint: Look in the *suite.conf* section.

- Did you manage to find where to set your ARCHER username?

This suite is set up slightly differently to the one used in the previous sections; suites do vary on how they are set up but you will soon learn where to look for things. This suite is set up so that specifying your username on the remote HPC is optional. If your PUMA username is the same as your username on ARCHER, or if the remote username is set in your `~/ .ssh/config` file Cylc will be able to submit your suite without having to explicitly set your username in the suite. However, on this course, we are using training accounts on ARCHER so you will need to set the username.

- Click *View* -> *View Latent Variables*. You should see `HPC_USER` appear in the panel greyed out.
- Click the + sign next to it and select *Add to configuration*
- Enter your ARCHER training username (e.g. 'ncastr01')

### 6.2 Errors resolved in the code extraction

**Save** the suite and then **Run** it either from the GUI or the command line.

The suite should fail in the *fcm\_make\_um* task. This is the task that extracts all the required code from the repository including any branches. The failure will be indicated in the *gcylc* GUI with a red square and the state *failed*.

- What is the error?

Hint: Examine the *job.err* and *job.out* to find the cause of the problem. You can view these files through Rose Bush, however you can also view them quickly and easily directly from the Cylc GUI. **Right-click** on the failed *fcm\_make\_um* task and select *View* -> *job stderr*

This indicates that the branch cannot be found due to an incorrect branch name. You will need to look at the UM code repository through Trac either on MOSRS (<https://code.metoffice.gov.uk/trac/um/browser>)

or the PUMA mirror (<https://puma.nerc.ac.uk/trac/um.xml/browser> with username: guest1 and password: traIn1ng or use your own).

Fix the error, **Save** the suite.

Now we will stop the suite and then re-run it. In the Cylc GUI click on *Control* -> *Stop Suite* and then select **Stop now** and then click on **OK**. **Run** the suite again.

The suite will fail in *fcm\_make\_um* again.

- What is the error?

Hint: Again look in the *job.err* file. This kind of error results when changes made in two or more branches affect the same bit of code and which the FCM system cannot understand how to resolve.

- Which file does the problem occur in?

In practice, you will need to fix the problem with the code conflict as you did in the FCM tutorial section. To proceed in this case, navigate to *fcm\_make\_um* -> *sources* and remove the branch called *vn10.5\_merge\_error* by clicking on it and then clicking the - sign.

**Save** the suite.

Last time we stopped the suite and then re-ran it, however, it is possible to reload the suite definition and then re-trigger the failed task without first stopping the running suite. To do this change to the suite directory:

```
puma$ cd ~/roses/<suitename>
```

We then reload the suite definition by running the following Rose command:

```
puma$ rose suite-run --reload
```

Finally in the Cylc GUI *right-click* on the failed task and select **Trigger (run now)**. The *fcm\_make\_um* task will then submit again.

- Is there an error in *fcm\_make\_um* this time?

If you look in the *job.err* file now it should be empty and the *job.out* file indicates SUCCESS.

## 6.3 Errors resolved in the compile and run

- Has the *fcm\_make2\_um* (compilation) task completed successfully?
- You should have a failure. Open the *job.err* file - what does it indicate?
- Which routine has an error?
- What is the error?
- What line of the Fortran file does it occur on?

In practice, you would need to fix the error in your branch on PUMA and then restart the suite. In this case, navigate to *fcm\_make\_um* -> *sources* and remove the branch *vn10.5\_compile\_error*. **Save** the suite, **Shutdown/Stop** the failed run and then **Run** it again. Notice we chose to shutdown the failed suite this time rather than do a reload. In this scenario we need to redo the code extraction (*fcm\_make\_um*) step so doing a reload would be slightly more complex; you would need to *Reload* and then *Re-trigger* both the *fcm\_make\_um* and the *fcm\_make2\_um* tasks. With experience you get to know when it's better to do a *Reload* and when to *Shutdown* a suite.

Note again that the task submitted successfully.

- Did the `fcm_make2_um` task succeed this time?
- What about the reconfiguration task?
- What is the error?
- Does the start dump exist?
- What is the name of the correct start dump? Hint: look in the directory where it thinks the start file should be - is there a candidate in there?

Point your suite to the correct start dump. Fixing this problem isn't quite as easy as it sounds. A search for **ainitial** in the Rose edit GUI will take you to the *General reconfiguration options* panel.

- Can you see the problem?

The initial dump location is set with an environment variable: `AINITIAL_N96`. Suites can be and are set up differently and there will be times when you need to edit the cylc suite definition files directly.

In your suite directory on PUMA (`~/roses/<suite-name>`) use `grep` to search for where the variable `AINITIAL_96` is set. Edit `AINITIAL_N96` in the appropriate `.rc` file to point to the correct initial dump file. Hint: This suite is set up to run on multiple platforms, make sure you edit the file appropriate to ARCHER.

**Reload** the suite definition and then **Re-trigger** the reconfiguration task. The reconfiguration should succeed this time.

- Has the model run successfully?

This time the model should have failed with an error.

- What is the error message?
- Which PE Rank(s) signalled the Abort? Make a note of which one(s)
- Change to the `pe_output` directory for the `atmos_main` task. This is under `~/cylc-run/<suite-id>/work/<cycle>/atmos_main/pe_output` and contains the output from each PE.
- Open the file called `<suite-id>.fort6.pe<pe noted above>`

The error message indicates that NaNs (NaN stands for Not a Number and is a numeric data type representing an undefined or unrepresentable value) have occurred in the routine `EG_BICGSTAB`. This basically means something in the model has become unstable and “blown up”. In this case the failure results from an incorrect value for the solar constant ‘`sc`’. You could try to find what setting similar models use (with the MOSRS repository you have access to all model setups) or looking at the help within `rose edit` may point you in the right direction. Go to `um -> namelist -> UM Science Settings -> Planet Constants` and set it to the suggested value. **Save, Reload and Re-trigger**.

This time the model should have run successfully. Check the output to confirm that there are no errors. Check that the model converged at all time steps.



## FURTHER EXERCISES

Now that we have built the suite, there is no need to rebuild it each time you run it. Switch off compilation of the UM and reconfiguration. Hint: See the “*suite conf*” section.

### 7.1 Change the model output logging behaviour

Navigate to *um* -> *namelist* -> *Top Level Model Control* -> *Run Control and Time Settings*. Set **Itimer** to *true*. Timer diagnostics outputs timing information and can be very useful in diagnosing performance problems.

**Save** and **Run** the suite.

Check the *job.out* file.

- Which routine took the most time?
- How many times was *Atm\_Step* called?
- How many time steps did the model run for?
- Which PE was the slowest to run AP2 Boundary Layer? Which was the fastest?
- Switch on “IO timing” Hint: look in “*IO System Settings*”.

**Re-run** the model and search for “Total IO Timings” in the *job.out* file.

### 7.2 Change the processor decomposition

Navigate to *suite conf* -> *Domain Decomposition* -> *Atmosphere*.

- What is the current processor decomposition?
- Why is this not a good way to run the model?

Hint: The base ARCHER charging unit is a node irrespective of how many cores on the node are being used. ARCHER has 24 cores per node, and for the UM each MPI task and OpenMP thread is mapped to a separate core. So in this case we are running 8x10 (x 2 OMP threads) for a total of 160 cores, but are charged for 7 nodes (168 cores).

Change the decomposition to 2(EW) x 2(NS). Try running the model with this decomposition. It will fail - why? This one is a bit tricky and the message from ARCHER isn’t very helpful unless you know something about the `aprun` command - google **aprun**, or type `man aprun` at an ARCHER command prompt.

Get the suite running by changing the “*Max number of processes/node*” to 8. In this case, you have requested the model be run on fewer cores than there are in a single node, and this is how you must specify the job submission in these cases. This `aprun` error comes about more often with the reconfiguration than the model, since reconfiguration often runs on fewer cores than the model does.

Again the model will have failed.

- What is the error?

Using too few cores has resulted in the model failing due to insufficient memory, indicated by the message “*OOM killer terminated this process*”. In this case it is easy to diagnose the problem, but sometimes it can be difficult to diagnose, so it’s worth trying to increase the number of processors if you suspect memory resource issues.

Try experimenting with different processor decompositions.

- How do the timings compare to when you ran on 7 nodes?

You can come up with a performance vs processor count curve in this way which might be valuable if you are planning an experiment - it’s also worth adding in the AU cost calculation when doing this.

---

**Note:** Running “under populated”, i.e. with fewer than the total cores per node, gives access to more memory per parallel task.

---

Change the processor decomposition to run fully populated on 8 nodes with 2 OpenMP threads.

## 7.3 STASH

### i. Exploring STASH

Navigate to `um -> namelist -> Model Input and Output -> STASH Requests and Profiles`. Look at the time profiles called `TALLTS` and `T6H`.

- What are they doing?

(`TALLTS` says output on every timestep, `T6H` says output 6 hourly)

Look also at some of the other time, domain and usage profiles. The domain profiles determine spatial output and the usage profiles effectively specify a Fortran LUN (Logical Unit Number) on which the associated data is written.

Click on *STASH Requests*. Now change the time profile for all stash output whose `Usage` profile is `UPC` and `Time` profile is `T6H` - to do this, click on each diagnostic you wish to change and then click the time profile, a drop-down list should appear containing all the available time profiles. Select `TALLTS`. You can sort the `STASH` table to make it more convenient to make these changes. Click on the `use_name` column header to sort by usage profile.

### ii. STASH validation macro

Several Rose macros have been provided to help verify `STASH` setup. When you change `STASH` it is always recommended to run at least the `validate` macro. The `stash_testmask.STASHTstmskValidate` macro ensures that the `STASH` output requested is valid given the science configuration of the app. To put this to the test run the `STASH` validation macro by selecting `stash_testmask.STASHTstmskValidate` from the list of available macros at the top of the `STASH` requests panel or alternatively it can be accessed from the “*Metadata -> um*” menu.

You should see several errors reported - it appears we have asked for diagnostics which are not available. This won't cause the model to fail, however, you could find these diagnostics in the list and switch them off by unchecking the "incl?" column, if you'd like to stop seeing this message.

**Save** and **Re-run** the suite.

The model should fail with an error message similar to the following:

**STWORK: Number of fields exceeds reserved headers for unit 14**

This means that the number of output fields exceeds the limit set for a particular stream; in this case the stream attached to unit 14. To find out what stream unit 14 is take a look in the `job.out` file and search for "unit 14". You should see that the file opened on unit 14 is `<suite-id>a.pc19880901`, so this is the **pc** stream. Back in `rose edit` for this suite look at the STASH usage profile for **upc**.

- What is the file ID of the failing output stream?

Now navigate to the window for this stream under *Model Input and Output -> Model Output Streams*. This defines the output stream. You should see confirmation of the base output file name to be `*.pc*`. Now there are 2 ways to fix this problem:

1. Increase the **reserved\_headers** size.

or

2. Change the reinitialisation frequency by modifying **reinit\_step** and/or **reinit\_unit**. This is telling the model to create new output files at a specified frequency, so individual files don't get massively large.

### iii. Adding a new STASH request

Let's now try adding a new STASH request to the UM app.

Click the "New" button in the STASH Requests section. A window will appear in order for you to browse all available STASHmaster entries.

By default STASHmaster entries are grouped together by Section code. It is possible to group items by any of the STASHmaster codes using the Group drop down list. The View button contains options to display the STASHmaster entry values and/or the column titles with explanation text and to select which columns to show/hide.

Expand the "*Gravity wave drag*" section. Then change the view by selecting *View -> Show expanded value info*. Try out the other options in the *View* menu to see what effect they have.

Select a STASH item and click **Add** to add it to the list of STASH requests. In the STASH Requests panel click on the empty *dom\_name*, *tim\_name* and *use\_name* fields of the new request and select appropriate profiles from the drop down lists. These lists are populated from the entries of the time, use and domain namelists.

Once you have added a new STASH request, you need to run a macro to generate an index for the namelist. To do so click on the **Macros** button, then select **stash\_indices.TidyStashTransform**. A box will pop up listing the changes the editor is going to make, click **Apply**.

- Run the model. Did it work?

## 7.4 Change the dump frequency

Reset the model run length to 6 hours. Hint: *suite conf* -> *Run Initialisation and Cycling*. (Hours are represented in the ISO 8601 standard as *PT<num-hours>H* e.g. PT1H represents 1 hour)

Reset the STASH output for stream UPC to 6 hourly.

Navigate to *um* -> *namelist* -> *Model Input and Output* -> *Dumping and Meaning*.

- What is the current dump frequency?

Set the dump frequency to 6 hours. **Run** the model.

- What is the error?

This error message occurs when you have set the total run length to be less than the cycling (automatic resubmission) frequency. Change the cycling frequency to 6 hours. Run the model.

- How much time was spent in DUMPCTL?

Reset the dump frequency to 1 hour. **Run** the model.

- What happened to the time spent in DUMPCTL?

## 7.5 Reconfiguration

Try to find out how to run the reconfiguration only. Hint: Look in the “*suite conf*” section.

Try to find out where to request extra diagnostic messages for the reconfiguration output.

**Run** the reconfiguration only with extra diagnostic messages.

Look at the *job.out* file.

- Do you see a land-sea mask?

## 7.6 Setting up a suite to cycle

We mentioned in the presentations that the length of an integration will be limited by the time that a model is allowed to run on the HPC (see the ARCHER web pages for information about the time limits). Clearly this is no good for much of our work which may need to run on the machine for several months. Cylc and the UM allow for long integrations to be split up into multiple shorter jobs - this is called *cycling*.

Let's run the model for 3 hours with 1 hour cycling:

- Set the “*Total run length*” to 3 hours.
- Set the “*Cycling frequency*” to 1 hour.
- Set the “*Wallclock time*” to 10 minutes.
- Ensure that the model dump frequency is hourly, in this case.

**Save** and **Run** the suite.

---

**Note:** The automatic resubmission frequency must be a multiple of the dump frequency.

---

The model will submit the first cycle and once that has succeeded you will see the following 2 cycles submitted and run.

---

**Note:** It is always wise, particularly when you plan to run a long integration that you only run the first cycle initially so that you can check that the model is doing what you expected before committing to a longer simulation.

---

## 7.7 Restarting a suite

Let's now extend this run out to 6 hours. Change the "*Total run length*" to 6 hours and **Save** the suite.

Having already run the first 3 hours we just want the suite to pick up where it left off and run the remaining 3 hours. To do this we *restart* the suite, by typing:

```
puma$ rose suite-run --restart
```

The cylc GUI will pop up and you should see the run resuming from where it left off (i.e. from cycle point 19880901T0300Z).

## 7.8 IO Servers

Older versions of the UM did not have IO servers, which meant that all reading and writing of fields files went through a single processor (pe0). When the model is producing lots of data and is running on many processors, this method of IO is very inefficient and costly - when pe0 is writing data, all the other processors have to wait around doing nothing but still consuming AUs. Later UM versions, including UM 10.5, have IO servers which are processors dedicated to performing IO and which work asynchronously with processors doing the computation.

Here's just a taste of how to get this working in your suite.

Set the suite to run for 6 hours with an appropriate cycling frequency, then check that OpenMP is switched on (Hint: search for *openmp* in rose edit) as this is needed for the IO servers to work.

Navigate to *suite conf* -> *Domain Decomposition* -> *Atmosphere* and check the number of OpenMP threads is set to 2. Set the number of "*IO Server Processes*" to 8.

**Save** and then **Run** the suite.

You will see lots of IO server log files in `~/cylc-run/<suitename>/work/<cycle>/atmos_main` which can be ignored for the most part.

Try repeating the "Change dump frequency" experiment with the IO servers switched on - you should see much faster performance.

## 7.9 Differencing suites

Currently there is no Rose tool to difference two suites. Since a suite consists of text files it is simply a matter of making sure all the Rose configuration files are in the common format by running `rose config-dump` on each suite and then running `diff`.

We will difference your copy of the GA7.0 suite with the original one:

```
puma$ cd ~/roses
puma$ rosie checkout u-ag761
puma$ rose config-dump -C u-ag761
puma$ rose config-dump -C <your-suite-name>
puma$ diff -r u-ag761 <your-suite-name>
```

- Are the differences what you expected?

## 7.10 Graphing a suite

When developing suites, it can be useful to check what the run graph looks like after Jinja evaluation, etc.

The GA7.0 suite that we have been working with is very simple so we shall graph a nesting suite which is more complex. To do this without running the suite:

```
puma$ rosie checkout u-ah076
puma$ cd ~/roses/u-ah076
puma$ rose edit &
```

In window *suite conf* -> *jinja2:suite.rc* change the **HPC\_USERID** to be your ARCHER training account. **Save** and **Close** rose edit. Then run the following:

```
puma$ rose suite-run -i --name=u-ah076 # install suite in cylc db only
puma$ cylc graph u-ah076 # view graph in browser
```

## 7.11 Exploring the suite definition files

Change to the `~/roses/<suite-id>` directory for your copy of u-ag263.

Open the `suite.rc` file in your favourite editor.

Look at the `[scheduling]` section. This contains some Jinja2 variables (**BUILD** & **RECON**) which allow the user to select which tasks appear in the dependency graph. The dependency graph tells Cylc the order in which to run tasks. The `fcm_make` and `recon` tasks are only included if the **BUILD** and **RECON** variables are set to true. These variables are located in the `rose-suite.conf` and can be changed using the `rose edit` GUI or by directly editing the `rose-suite.conf` file. When you run a suite a processed version of the `suite.rc` file with all the Jinja2 code processed is placed in your suite's `cylc-run` directory.

- Take a look at the `suite.rc.processed` file for your suite. Hint: go to directory `~/cylc-run/<suite-id>`.
- Change the values of **BUILD** and **RECON** and re-run your suite.
- Look at the new `suite.rc.processed` file. Can you see how the graph has changed?

Make sure that you leave the suite with **BUILD=false** before continuing.

As we saw earlier when changing the path to the start dump, some settings can't be changed through the `rose edit` GUI. Instead you have to edit the suite definition files directly.

- Can you find where the atmos processor decomposition is set for this suite?
- Change atmos processor decomposition to run on 2 nodes. Run the suite.

- What error message did you get? Hint: Look in the usual `job.out/job.err` or it may be in the `job-activity.log` file.

This error is caused by a mismatch in the number of nodes requested by the PBS job script header and the number of processors requested by the `aprun` command which launches the executable. (For further information on PBS and the `aprun` command on ARCHER see: <http://www.archer.ac.uk/documentation/user-guide/batch.php>).

In the `[[atmos]] [[directives]]` section change `-l select=1` to `-l select=2` to tell the PBS scheduler that you require 2 nodes.

- The suite should run this time. Did it run on 2 nodes as requested?
- How much walltime has been requested for the reconfiguration?

Now take a look at the `suite.rc` file for your other suite (the one copied from `u-ag761`). See how it differs. This one is set up to run on multiple platforms.

- Can you see the more complex dependency graph?
- Can you see where to change the reconfiguration walltime for this suite?

This has just given you a very brief look at the suite definitions files. More information can be found in the `cylc` documentation.

## 7.12 Extra exercises

### i. Start a suite in “held” mode

This allows you to trigger the running of tasks manually.

To start a suite in held mode add `-- --hold` to the end of the `rose suite-run` command:

```
puma$ rose suite-run -- --hold
```

The first `--` tells Rose that all subsequent options should be passed on to Cylc. This is why the `hold` option should be added to the end of the command, after any Rose options. Once the suite has started all tasks will be in a held state. It is then possible to select which tasks are run by right clicking on a task in the Cylc GUI and manually triggering it or resetting its state.

Try doing this as a way to run the reconfiguration only in one of your suites.

### ii. Applying compiler and machine overrides

It is possible to modify the default compiler and linker options for all files (global overrides) or for a specific file or directory (file overrides). It is also possible, but not covered here, to modify the path to an existing library (path overrides).

First make sure your suite is set to **build**. To begin with we will simply add an additional compilation option.

Navigate to “*fcm\_make\_um -> env -> Advanced compilation*”. In the “*Fortran compiler overrides*” box enter `-g`. This is the debug compiler flag.

**Save** and then **Run** the suite. When the `extract (fcm_make_um)` task has finished, the easiest way to check that the changes will be applied is to look in the `fcm-make2.cfg` file in the suite’s `share/fcm_make_um` directory on ARCHER (e.g. `~/cylc-run/<suite-id>/share/fcm_make_um`). If you search in this file for **fc.flags** you should see that `-g` has been appended to the list of compile options.

In a similar way you can pass additional flags to the linker. Notice with the linker it is possible to prepend or append additional options.

We'll now apply a compiler override for a specific file. In your suite working copy edit the file `app/fcm_make_um/file/fcm-make.cfg` to add the line:

```
build-atmos.prop{fc.flags}[um/src/atmosphere/dynamics_advection \\  
  /flux_rho.F90] = $fcflags_all -O0
```

(Note this should be all on one line and is just broken here for readability.)

This redefines the default optimisation for code file `flux_rho` from `-O2` to `-O0`. Again, **save** and **Run** the suite and check that the change has been applied by looking in the `fcm-make2.cf` file on ARCHER. In this example we were only changing the value of the optimisation flag, appending it to the default `$fcflags_all` declaration. If you needed to completely change the compile flags you would respecify them completely; for example:

```
build-atmos.prop{fc.flags}[um/src/atmosphere/dynamics_advection \\  
  /flux_rho.F90] = $fcflags_commmmon -O0 -Ovector0 -hfp0 -hflex_mp=strict
```



## POST PROCESSING

This is simply a very basic introduction to some of the more widely used useful tools for viewing, checking, and converting UM input and output data. The tools described below all run on the ARCHER login nodes, and you can run them there, but they also run on the ARCHER post-processors (see <http://www.archer.ac.uk/documentation/user-guide/connecting.php#sec-2.1.2>). Try logging on to one of the post-processors for these exercises: `ssh -X espp1`. The post processors can see `/home` and `/work` and `/nerc`.

### 8.1 xconv

#### i. View data

On ARCHER go to the output directory of the global job that you ran previously (the one copied from u-ag761). Run `xconv` on the file ending with `da19880903_00`. This file is an atmosphere start file - this type of file is used to restart the model from the time specified in the file header data.

In the directory above is a file whose name ends in `.astart`; run a second instance of `xconv` on this file. This is the file used by the model to start its run - created by the reconfiguration program in this case.

The `xconv` window lists the fields in the file, the dimensions of those fields (upper left panel), the coordinates of the grid underlying the data, the time(s) of the data (upper right panel), some information about the type of file (lower left panel), and general data about the field (lower right panel.)

Both files have the same fields. Double click on a field to reveal its coordinate data. Check the time for this field (select the “t” checkbox in the upper right panel).

Plot both sets of data - click the “Plot Data” button.

View the data - this shows numerical data values and their coordinates and can be helpful for finding spurious data values.

#### ii. Convert UM fields data to netCDF

Select a single-level field (one for which `nz=1`), choose “Output format” to be “Netcdf”, enter an “Output file name”, and select “Convert”. Information relevant to the file conversion will appear in the lower left panel.

Use `xconv` to view the netcdf file just created.

## 8.2 uminfo

You can view the header information for the fields in a UM file by using the utility `uminfo` - redirect the output to a file or pipe it to `less`:

```
archer$ uminfo <one-of-your-fields-files> | less
```

The output from this command is best viewed in conjunction with the Unified Model Documentation Paper F3 which explains in depth the various header fields.

## 8.3 pumf

Run `pumf` on the start file - here's an example on one of ros' files:

```
archer$ pumf ag761.astart
PUMF successful
Header output in: /work/n02/n02/ncastr01/tmp/tmp.eslogin005.16599/
                  pumf_head.ncastr01.d14076.t150856.28259
Field output in:  /work/n02/n02/ncastr01/tmp/tmp.eslogin005.16599/
                  pumf_field.ncastr01.d14076.t150856.28259
```

This provides another way of seeing header information, but also gives some information about the fields themselves. The output from `pumf` is a pair of text files. Use your favourite editor to view the output.

## 8.4 cumf

You can compare two UM fields files with `cumf`. Note, differences in header information can arise even when field data is identical. Try running `cumf` on the two start files referred to above (in the View data section) - try running `cumf` on a file and itself.

## 8.5 ff2pp

We have mentioned on the presentations the PP file format - this is a sequential format (a fields file is random access) still much used in the community. PP data is stored as 32-bit, which provides a significant saving of space, but means that a conversion step is required from a fields file (64-bit). The utility to do this is `ff2pp` (some confusion has arisen in the past with a similar utility written by the MO - be sure to use the CMS version located in `/work/y07/y07/umshared/bin` - you can check that you are using the right one by typing `which ff2pp`. Run `ff2pp` on the fieldsfile ending `.pc19880901`

```
archer$ cd /home/n02/n02/ros/cylc-run/u-ag761/share/data/History_Data
archer$ ff2pp ag761a.pc19880901 ag761a.pc19880901.pp
```

```
file ag761a.pc19880901 is a byte swapped 64 bit ieee um file
```

```
archer$ ls -l ag761a.pc19880901*
-rw-r--r-- 1 ros n02 44376064 Nov  4 11:30 ag761a.pc19880901
-rw-r--r-- 1 ros n02  5914960 Nov  4 11:38 ag761a.pc19880901.pp
```

Note the reduction in file size - `ff2pp` does a lossy compression of data, but 32-bits is probably enough for diagnostics. Now use `xconv` to examine the contents of the PP file.

## 8.6 cfa and cfdump

There is an increasing use of python in the community and we have, and continue to develop, python tools to do much of the data processing previously done using IDL or MATLAB and are working to extend that functionality. `cfa` is a python utility which offers a host of features - we'll use it to convert UM fields file or PP data to CF-compliant data in NetCDF format. You first need to set the environment to run `cfa` - if you will be a frequent user, add the `module load` and `module swap` commands to your `.profile`.

```
esPP001$ module load anaconda cf
esPP001$ module swap PrgEnv-cray PrgEnv-intel
esPP001$ cfa -i -o ag761a.pc19880901.pp.nc ag761a.pc19880901.pp
```

Try viewing the NetCDF file with `xconv`.

`cfdump` is a tool to view CF fields. It can be run on PP or NetCDF files, to provide a text representation of the CF fields contained in the input files. Try it on a PP file and its NetCDF equivalent, e.g.

```
archer$ cfdump ag761a.pc19880901.pp | less
wind_speed field summary
-----
Data          : wind_speed(latitude(145), longitude(192)) m s-1
Cell methods  : time: maximum
Axes          : time(1) = [1988-09-01 03:00:00] 360_day
               : altitude(1) = [10.0] m
               : latitude(145) = [-90.0, ..., 90.0] degrees_north
               : longitude(192) = [0.0, ..., 358.125] degrees_east
Aux coords    : model_level_number(altitude(1)) = [8888]

geopotential_height field summary
-----
Data          : geopotential_height(latitude(144), longitude(192)) m
Cell methods  : time: point
Axes          : time(1) = [1988-09-01 06:00:00] 360_day
               : air_pressure(1) = [500.0] hPa
               : latitude(144) = [-89.375, ..., 89.375] degrees_north
               : longitude(192) = [0.9375, ..., 359.0625] degrees_east
```

## 8.7 CF-python CF-plot

Many tools exist for analysing data from NWP and climate models and there are many contributing factors for the proliferation of these analysis utilities, for example, the disparity of data formats used by the authors of the models, and/or the availability of the underlying software. There is a strong push towards developing and using python as the underlying language and CF-netCDF as the data format. CMS is home to tools in the CF-netCDF stable - here's an example of the use of these tools to perform some quite complex data manipulations. The user is insulated from virtually all of the details of the methods allowing them to concentrate on scientific analysis rather than programming intricacies.

- Set up the environment and start python - if you will be a frequent user, add the `module load` and `module swap` commands to your `.profile`.

```
archer$ module load anaconda cf
archer$ module swap PrgEnv-cray PrgEnv-intel
```

```
archer$ python
>>> import cf
```

We'll be looking at CRU observed precipitation data

- Read in data files

```
>>> f = cf.read('/home/n02/n02/charles/UM_Training/cru/*.nc')
```

- Inspect the file contents with different amounts of detail

```
>>> f
>>> print f
>>> f.dump()
```

Note that the three files in the cru directory are aggregated into one field.

- Average the field with respect to time

```
>>> f = f.collapse('T: mean')
>>> print f
```

Note that the time coordinate is now of length 1.

- Read in another field produced by a GCM, this has a different latitude/longitude grid to regrid the CRU data to

```
>>> g = cf.read('/home/n02/n02/charles/UM_Training/N96_DJF_precip_means.nc')
>>> print g
```

- Regrid the field of observed data (f) to the grid of the model field (g)

```
>>> f = f.regrids(g)
>>> print f
```

- Subspace the regridded field, f, to a European region

```
>>> f = f.subspace(X=cf.wi(-10, 40), Y=cf.wi(35, 70))
>>> print f
```

Note that the latitude and longitude coordinates are now shorter in length.

- Import the cfplot visualisation library

```
>>> import cfplot
```

- Make a default contour plot of the field, f

```
>>> cfplot.con(f)
```

- Write out the new field f to disk

```
>>> cf.write(f, 'cru_precip_european_mean_regridded.nc')
```

## APPENDIX A: USEFUL INFORMATION

### 9.1 UM output

#### ARCHER job output directory:

The standard output and error files (job.out & job.err) for the compile, reconfiguration and run are written to the directory:

```
~/cylc-run/<suite-id>/log/job/<cycle>/<app>
```

#### ARCHER model output:

By default the UM will write all output (e.g. processor output and data files) to the directory it was launched from, which will be the task's **work** directory. However, all output paths can be configured in the GUI and in practice most UM tasks will send output to one or both of the suite's **work** or **share** directories:

```
~/cylc-run/<suitename>/work/1/atmos  
~/cylc-run/<suitename>/share/data
```

### 9.2 ARCHER architecture

ARCHER has two kinds of processor which we commonly use - they have several names, but roughly speaking they are the service processors (several nodes worth) sometimes referred to as the front end, and the compute processors (many many nodes worth) sometimes referred to as the back end. We login to the front end and build the model on the front end. We run the model on the back end. You wouldn't generally have an interactive session on the back end and will submit jobs there through the batch scheduler (PBS).

The UM infrastructure recognises this architecture and will run tasks in the appropriate place.

If you are doing any post-processing or analysis you may wish to submit your own parallel or serial jobs. Intensive interactive tasks should be run on the post-processor nodes. For analysing data on the /nerc disk, use the RDF cluster.

Consult the ARCHER documentation for details.

### 9.3 ARCHER file systems

ARCHER, in common with some other HPC systems, such as MONSooN and Polaris, has (at least) two file systems which have different properties, different uses, different associated policies and different

names. On ARCHER there are `/home` and `/work`. The `/home` file system is backed up regularly, has relatively small volume, can efficiently handle many small files, and is where we recommend the UM code is saved and built. The `/home` system can not be accessed by jobs running on the compute processors.

The `/work` file system is optimized for fast parallel IO - it doesn't handle small files very efficiently. It is where your model will write to and read from.

## 9.4 ARCHER node reservations

In normal practice you will submit your jobs to the parallel queue on ARCHER; the job scheduler will then manage your job request along with all those from the thousands of other users. For this training course, we will be using processor Reservations, whereby we have exclusive access to a prearranged amount of ARCHER resource meaning that you will not need to wait in the general ARCHER queues. Reservations are specified by a reservation code - ours is `course1` (have a look in a `umuisubmit_run` or `umuisubmit_rcf` file). As an ARCHER user you can make a reservation so that you have access to the machine at a time of your choosing - reservations incur a cost overhead (50%), so best used when you are sure you need them.

## 9.5 Useful Rose commands

```
rose suite-run
```

Run a suite.

```
rose suite-run --new
```

Clear out any existing `cylc-run` directories for this suite and then run it. Take care when using this option as it deletes all files from any previous runs of the suite.

```
rose suite-run --no-log-archive
```

Do not archive (tar-gzip) old log directories.

```
rose suite-run --restart
```

Restart the suite from where it finished running previously

```
rose suite-run [--restart] -- --hold
```

Hold (don't run tasks) immediately on running or restarting the suite

```
rose suite-shutdown
```

Shutdown (stop) a running suite.

```
rose sgc
```

Launch the Cylc GUI for a running suite.

```
rose suite-scan
```

Scan for any running suites. This is useful when you've shutdown the `cylc` GUIs and wish to quickly see what suites you still have running.

For more information on all these commands and more see the Rose and Cylc documentation or run `rose command --help` (E.g. `rose suite-run --help`) to view the man pages.

## APPENDIX B: SSH FAQs

This Section provides instructions for some common ssh tasks. If you have any problems, contact a member of the CMS team.

### 10.1 Using an existing ssh agent

If you already have an ssh-agent set up on PUMA, you can use this one to connect to your Archer training account. Conversely, after the course you may wish to use the keys you set up for own Archer account.

You can copy your ssh key over to Archer using the `ssh-copy-id` script.

First you need to find the name of the public key in your `.ssh` directory.

```
puma$ cd ~/.ssh
puma$ ls
environment.puma  id_rsa  id_rsa.pub  known_hosts  ssh-setup
```

The public key ends with `.pub` and will usually be called `id_rsa.pub` or `id_dsa.pub`.

Now run the script to copy the key to your Archer account, making sure to use the correct name for your key:

```
puma$ ssh-copy-id -i ~/.ssh/id_rsa.pub <archer-username>@login.archer.ac.uk
```

You will be prompted for your Archer password.

If successful, you should now be able to login to Archer without a password. If you are prompted for a passphrase you need to re-start your agent - see below.

### 10.2 Restarting your ssh agent

Normally your ssh agent persists even when you log out of puma. However, from time to time it can vanish.

If you are prompted for your passphrase, this means the ssh agent has stopped for some reason. The agent *should* have been re-initialised when you logged into puma, but you will need to re-associate your ssh keys to the agent.

To do so, run:

```
puma$ ssh-add
```

If successful this will prompt for your passphrase:

```
Enter passphrase for /home/<puma-username>/.ssh/id_rsa:
```

Sometimes this step will fail with the following error:

```
Could not open a connection to your authentication agent.
```

In this case, the agent is not running. Usually this is because of an environment file. Delete the following:

```
puma$ rm ~/.ssh/environment.puma
```

Then log out of puma and back in again. You should hopefully see a message similar to:

```
Initialising new SSH agent...
```

And you should now be able to run ssh-add successfully.

## 10.3 Regenerating your ssh keys

If you have forgotten your passphrase you will need to regenerate your ssh keys. Before doing so, you will need to tidy up the old keys otherwise the ssh agent can get itself confused.

Go to your `.ssh` directory, and look at the files:

```
puma$ cd ~/.ssh
puma$ ls
environment.puma  id_rsa  id_rsa.pub  known_hosts  ssh-setup
```

Delete the public and private keys. These will normally be named `id_rsa` and `id_rsa.pub`, or `id_dsa` and `id_dsa.pub`.

You should also delete the `environment.puma` file:

```
puma$ rm id_rsa id_rsa.pub environment.puma
```

Next check if you have an agent running:

```
puma$ ps -flu <puma-username> | grep ssh-agent
```

If you have an agent running, one or more lines like the following will be returned:

```
15658 ?          00:00:00 ssh-agent
```

The number in the first column is the process-id, pass this to the `kill` command to stop the process, for example:

```
puma$ kill -9 15658
```

You can now start again, following the *ssh set up instructions*.